


ANNOUNCEMENT RE: MaximBio ClearDetect™ COVID-19 Antigen Home Test

Expiration Date Extension


On July 22, 2022, the FDA granted a two-month shelf-life extension for the MaximBio ClearDetect™ COVID-19 Antigen Home Test, which extended the shelf-life of all ClearDetect™ tests from 6 months to 8 months. Please reference the table below to check the most updated expiration date of your kit. We will continue to apply to FDA for shelf-life extensions based on our stability studies, and the new shelf-lives for our tests will apply to tests already produced as well as future production.

How to find the Lot Number and Expiration Date on your Kit Box


The Lot Number and Expiration Date can be found in the bottom right-hand corner of the back side of your kit box. Please reference the image below for more details.



REF Part Number

 Use by (Expiration Date)

LOT Lot Number (Batch Code)

 Date of Manufacture

Lot Number	Tests with this printed Expiration Date	Now have this extended Expiration Date
MB21APR2201	9/18/2022	11/18/2022
MB25APR2201	9/22/2022	11/22/2022
MB26APR2201	9/18/2022	11/18/2022
MB27APR2201	9/22/2022	11/22/2022
MB27APR2202	9/18/2022	11/18/2022
MB27APR2203	9/17/2022	11/17/2022
MB28APR2201	9/17/2022	11/17/2022
MB28APR2202	9/18/2022	11/18/2022
MB28APR2203	9/22/2022	11/22/2022
MB02MAY2201	9/21/2022	11/21/2022
MB04MAY2203	10/14/2022	12/14/2022
MB05MAY2201	10/21/2022	12/21/2022
MB10MAY2201	10/25/2022	12/25/2022
MB11MAY2201	10/26/2022	12/26/2022
MB04MAY2201	9/23/2022	11/23/2022
MB04MAY2202	9/17/2022	11/17/2022
MB04MAY2204	9/30/2022	11/30/2022
MB09MAY2201	10/20/2022	12/20/2022
MB10MAY2202	10/28/2022	12/28/2022
MB12MAY2201	10/26/2022	12/26/2022
MB10MAY2203	10/28/2022	12/28/2022
MB16MAY2201	10/29/2022	12/29/2022
MB16MAY2202	10/29/2022	12/29/2022
MB17MAY2202	11/5/2022	1/5/2023
MB16MAY2203	11/5/2022	1/5/2023
MB18MAY2201	11/9/2022	1/9/2023
MB19MAY2201	11/10/2022	1/10/2023
MB19MAY2202	11/10/2022	1/10/2023
MB17MAY2201	11/4/2022	1/4/2023
MB18MAY2202	11/6/2022	1/6/2023
MB24MAY2201	10/28/2022	12/28/2022
MB19MAY2203	11/11/2022	1/11/2023
MB23MAY2201	11/12/2022	1/12/2023
MB25MAY2201	11/17/2022	1/17/2023
MB23MAY2202	11/16/2022	1/16/2023



Lot Number	Tests with this printed Expiration Date	Now have this extended Expiration Date
MB26MAY2201	11/18/2022	1/18/2023
MB31MAY2201	11/19/2022	1/19/2023
MB31MAY2202	11/20/2022	1/20/2023
MB31MAY2203	11/20/2022	1/20/2023
MB01JUN2201	11/19/2022	1/19/2023
MB02JUN2201	11/25/2022	1/25/2023
MB03JUN2202	11/23/2022	1/23/2023
MB06JUN2201	11/25/2022	1/25/2023
MB03JUN2203	11/23/2022	1/23/2023
MB03JUN2204	11/27/2022	1/27/2023
MB07JUN2201	11/30/2022	1/30/2023
MB08JUN2201	12/1/2022	2/1/2023
MB07JUN2202	11/30/2022	1/30/2023
MB09JUN2201	12/2/2022	2/2/2023
MB03JUN2201	11/16/2022	1/16/2023
MB13JUN2201	12/3/2022	2/3/2023
MB13JUN2202	12/9/2022	2/9/2023
MB14JUN2201	12/7/2022	2/7/2023
MB16JUN2201	12/6/2022	2/6/2023
MB20JUN2201	12/10/2022	2/10/2023
MB21JUN2201	12/12/2022	2/12/2023
MB22JUN2201	12/14/2022	2/14/2023
MB23JUN2201	12/14/2022	2/14/2023
MB24JUN2201	12/15/2022	2/15/2023
MB27JUN2201	12/16/2022	2/16/2023
MB28JUN2201	12/20/2022	2/20/2023
MB29JUN2201	12/21/2022	2/21/2023
MB30JUN2201	12/22/2022	2/22/2023
MB01JUL2201	12/22/2022	2/22/2023
MB06JUL2201	12/27/2022	2/27/2023
MB05JUL2201	12/24/2022	2/24/2023
MB07JUL2201	12/27/2022	2/27/2023
MB08JUL2201	12/27/2022	2/27/2023
MB11JUL2201	12/27/2022	2/27/2023
MB12JUL2201	12/28/2022	2/28/2023